

Jack Frost

SWEATERS

GLOVES • SCARFS • SOCKS
FOR MEN AND BOYS

LEFT No. 4501


HEATHERTONE PULLOVER

BOY'S SIZE 10 TO 12 INCLUDED

RIGHT No. 4502

HEATHERTONE SLEEVELESS
PULLOVER

INSTRUCTIONS ON PAGE 2



VOLUME 45
PRICE 20¢

INSTRUCTIONS

HEATHERTONE PULLOVER No. 4501

SIZE 38 to 40

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: 6 sts to 1 in.

Jack Frost Heathertone or Jack Frost Sport Yarn
7 2-oz. Balls

BACK: With No. 2 Needles cast on 114 sts. Work as given for sleeveless pullover No. 4502 until piece measures 14 in. from lower edge instead of 12 in. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 8½ in. from underarm. Bind off 9 sts at beginning of each of next 6 rows. Change to No. 2 Needles, increasing to 43 sts. Work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 5 in. from bound off sts at underarm. Work over 36 sts. Place on st-holder. Bind off next 22 sts for front of neck. On remaining 36 sts, work 2 rows even. Bind off 2 sts at neck edge every other row 3 times; decrease 1 st at neck edge every other row 3 times. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge bind off 9 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 81 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off. Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 61 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles increasing to 70 sts at even intervals across row. Working in pattern, increase 1 st at each end on the 20th row and every 10th row thereafter to 96 sts. Work even until sleeve measures 22 in. or desired length from lower edge. Bind off 8 sts at beginning of each of next 2 rows; decrease 1 st at each end, every other row 6 times. Bind off 2 sts at beginning of every row to 28 sts. Bind off. Sew sleeve seams. Sew sleeves in place.

BOYS' SIZES—12 to 14 yrs.

Jack Frost Heathertone or Jack Frost Sport Yarn
5 2-oz. Balls

BACK: With No. 2 Needles cast on 100 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles and work in pattern as given for No. 4502 until piece measures 12 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 6½ in. from underarm. Bind off 9 sts at beginning of each of the next 2 rows, then 8 sts at beginning of each of the next 4 rows. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 5 in. from underarm; then work as follows: Work over 30 sts. Place on st-holder. Bind off next 20 sts for front of neck. On remaining 30 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 9 sts once, then 8 sts every other row twice. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 63 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off. Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 48 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles increasing to 64 sts. Work in pattern, increasing 1 st at each end on the 7th row and every 8th row thereafter to 86 sts. Work even until piece measures 18 in. from lower edge. Bind off 8 sts at beginning of each of the next 2 rows for underarm. Decrease 1 st at each end every other row 4 times, then every 3rd row 6 times. Bind off 3 sts at beginning of each of the next 10 rows. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

HEATHERTONE SLEEVELESS PULLOVER No. 4502

SIZE 38 to 40

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: 6 sts to 1 in.

Jack Frost Heathertone or Jack Frost Sport Yarn
4 2-oz. Balls

BACK: With No. 2 Needles cast on 114 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles, increasing to 118 sts at even intervals across row. Work in pattern as follows: **Row 1** (right side)—K 4, * K the 2nd st on left hand needle, then K the first st, slip both off at once, K 4, repeat from * across row. **Row 2** and all even rows—Purl. **Row 3**—Knit. **Row 5**—K 1,

* K 2nd st on left hand needle, then K the first, slip both off at once, K 4, repeat from * across row ending K 1. **Row 7**—Knit. **Row 8**—Purl. The above 8 rows form pattern. Repeat them until piece measures 12 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; then 3 sts at beginning of each of next 6 rows. Decrease 1 st at each end every other row 3 times. Work even until piece measures 10 in. from underarm. Bind off 6 sts at beginning of each of next 6 rows. Change to No. 2 Needles increasing to 43 sts. Work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 6 in. from underarm. Work over 27 sts, place on pin. Bind off next 22 sts for front of neck. On remaining 27 sts, decrease 1 st at neck edge every other row 9 times. Work even until piece measures 10 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 81 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off. Sew shoulder seams.

ARMHOLE BANDS: With No. 2 Needles, on right side of garment, pick up 180 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 7 rows. Bind off. Sew underarm seams.

CREW NECK SLEEVELESS PULLOVER No. 4503

SIZE 38 to 40

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

1 Double Pointed Needle Size 4

SCALE: 6½ sts to 1 in.

Gold Medal Fingering Yarn (A Jack Frost Product)—
7 1-oz. Skeins

BACK: With No. 2 Needles cast on 118 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles, increasing to 126 sts at even intervals across row. Work in pattern as given for No. 4504 until piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; then 3 sts at beginning of each of next 8 rows. Work even until piece measures 10 in. from underarm. Bind off 6 sts at beginning of each of next 6 rows. Change to No. 2 Needles and K 1 row decreasing to 42 sts. Work in ribbing of K 1, P 1, for 7 rows for neck band. Bind off.

FRONT: Work same as back (starting with 15th row of pattern) until piece measures 7 in. from underarm; then work as follows: work over 28 sts. Place on st-holder. Bind off next 30 sts for front of neck. On remaining 28 sts, work 2 rows even, then bind off 2 sts at neck edge every other row 5 times. Work even until piece measures 10 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: On right side of garment, with No. 2 Needles, pick up 83 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off. Sew shoulder seams.

ARMHOLE BANDS: On right side of garment with No. 2 Needles pick up 181 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 7 rows. Bind off. Sew underarm seams.

CREW NECK PULLOVER No. 4504

SIZE 38 to 40

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

1 Double Pointed Needle Size 4

SCALE: 6½ sts to 1 in.

Gold Medal Fingering Yarn (A Jack Frost Product)—
11 1-oz. Skeins

BACK: With No. 2 Needles cast on 118 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 4 Needles and K 1 row increasing to 126 sts at even intervals across row. Work in pattern as follows: **Row 1** (wrong side)—K 5, * P 4, K 4, repeat from * across row ending K 5. **Row 2**—Knit. **Row 3**—Repeat row 1. **Row 4**—Knit. **Row 5**—Repeat row 1. **Row 6**—Knit. **Row 7**—Repeat row 1. **Row 8**—Knit, working a cable twist over the stockinette st ribs of K 4 as follows: slip the first 2 sts onto the double pointed needle, hold in back of work. K the next 2 sts, then bring the slipped sts forward and K them. **Row 9**—Repeat row 1. **Row 10**—Knit. **Row 11**—Repeat row 1. **Row 12**—Knit. **Row 13**—Repeat row 1. **Row 14**—Knit. **Row 15**—K 1, * P 4, K 4, repeat from * across row ending K 1. **Row 16**—Knit. **Row 17**—Repeat row 15. **Row 18**—Knit. **Row 19**—Repeat row 15. **Row 20**—Knit. **Row 21**—Repeat row 15. **Row 22**—Knit, working a cable twist over the stockinette st ribs of K 4, across the row. **Row 23**—Repeat row 15. **Row 24**—Knit. **Row 25**—Repeat row 15. **Row 26**—Knit. **Row 27**—Repeat row 15. **Row 28**—Knit. Above 28 rows

(continued on page 4)



CREW NECK SLEEVELESS PULLOVER No. 4503

CREW NECK PULLOVER No. 4504

CREW NECK PULLOVER—(continued from page 2)

form pattern; repeat them until piece measures 14 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every row 4 times. Work even until piece measures 8½ in. from underarm. Bind off 8 sts at beginning of each of next 8 rows. Change to No. 2 Needles increasing to 42 sts at even intervals across row. Work in ribbing of K 2, P 2, for 7 rows for neck band. Bind off.

FRONT: Work same as back until piece measures 6 in. from underarm, starting with 15th row of pattern. Work over 39 sts. Place on st-holder; bind off next 24 sts for front of neck. On remaining 39 sts work 2 rows even, then decrease 1 st at neck edge every other row 7 times. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge bind off 8 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 84 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 7 rows. Bind off. Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 58 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 4 Needles increasing to 70 sts at even intervals across row. Work in pattern, increasing 1 st at each end on the 21st row and every 10th row thereafter to 94 sts. Work even until piece measures 21 in. from lower edge. Bind off 8 sts at beginning of each of the next 2 rows; decrease 1 st at each end every other row 4 times, then every 3rd row 4 times. Bind off 2 sts at beginning of every row to 18 sts. Bind off. Sew sleeve seams. Sew sleeves in place.

CREW NECK SLEEVELESS SWEATER

No. 4505

SIZE 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: 6 sts to 1 in.

Jack Frost De Luxe Sport Zephyr or Jack Frost Sport Yarn
4 2-oz. Balls

BACK: With No. 2 Needles cast on 115 sts. Work in ribbing as follows: Row 1—P 3, K 1, repeat across row ending P 3. Row 2—K 3, P 1, repeat across row ending K 3. Repeat above 2 rows for 3½ in. Change to No. 4 Needles and work in pattern as follows: Row 1—P 1, * K 1, P 3, repeat from * across row ending K 1, P 1. Row 2—K 1, * P 1, K 3, repeat from * across row ending P 1, K 1. Row 3—Repeat Row 1. Row 4—Repeat Row 2. Row 5—Repeat Row 1. Row 6—Repeat Row 2. Row 7—* P 3, K 1, repeat from * across row ending P 3. Row 8—K 3, P 1, repeat across row ending K 3. Row 9—Repeat Row 7. Row 10—Repeat Row 8. Row 11—Repeat Row 7. Row 12—Repeat Row 8. The above 12 rows form pattern. Repeat them until piece measures 12 in. from lower edge. Bind off 5 sts at beginning of each of next 2 rows for underarm, then 3 sts at beginning of each of next 8 rows. Work even until piece measures 10 in. from underarm. Bind off 6 sts at beginning of each of next 6 rows. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 6½ in. from underarm. Work over 30 sts. Place on st-holder. Bind off next 21 sts for front of neck. On remaining 30 sts work 2 rows even. Bind off 3 sts at neck edge every other row 3 times, then decrease 1 st at neck edge every other row 3 times. Work even until piece measures 10 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 3 times. Work other side to correspond.

FRONT NECK BAND: With No. 2 Needles, on right side of garment, pick up 91 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off. Sew shoulder seams.

ARMHOLE BANDS: With No. 2 Needles, on right side of garment, pick up 181 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 7 rows. Bind off. Sew underarm seams.

CARDIGAN No. 4506

SIZE 38

1 Pr. Standard No. 1 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: 6 sts to 1 in.

Jack Frost Heathertone or Jack Frost Sport Yarn—
7 2-oz. Balls

BACK: With No. 4 Needles cast on 114 sts. K 1 row, P 1 row for 8 rows. P 1 row on right side for turning ridge. Continue working in stockinette st until piece measures 15 in. from turning ridge or desired length from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 8½ in. from underarm. Bind off 9 sts at beginning of each of next 6 rows. Bind off remaining sts loosely.

POCKET LINING: With No. 4 Needles cast on 32 sts. Work even in stockinette st for 4½ in., ending on P side. Place on st-holder.

FRONT: With No. 4 Needles cast on 62 sts. K 1 row, P 1 row for 8 rows. P 1 row on right side for turning ridge. Continue working in stockinette st until piece measures 4½ in. from turning ridge, ending on right side. On next row, P 15, bind off next 32 sts for pocket opening, P the remaining 15 sts. Work back as follows: K 15, K the 32 sts from st-holder, K the remaining 15 sts. Work even in stockinette st until piece measures 15 in. from turning ridge. Keeping front edge even, bind off 8 sts at underarm edge once, then decrease 1 st at underarm edge every other row 4 times. Keeping armhole edge even, decrease 1 st at neck edge every 3rd row to 27 sts. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 9 sts every other row 3 times. Work other side to correspond.

BUTTONHOLE BAND: With No. 1 Needles cast on 13 sts. Work in ribbing of K 1, P 1, for 4 rows, then work 1st buttonhole as follows: K 1, P 1, over the first 4 sts, bind off next 5 sts (very tight), P 1, K 1, over remaining 4 sts. Work back, casting on 5 sts over bound off sts. Repeat buttonholes every 32nd row until 6 buttonholes have been completed. Continue ribbing until band measures 54 in. in all. Bind off.

Sew shoulder and underarm seams. Sew pocket lining to wrong side of garment. Turn hem under at lower edge on turning ridge.

Sew buttonhole band to front edge of cardigan, having buttonholes on left side.

With No. 1 Needles, on right side, pick up 32 sts across top of pockets. Work 8 rows in stockinette st. K 1 row on wrong side for turning ridge. K 1 row, P 1 row for 8 rows. Bind off. Turn under on turning ridge and sew to wrong side. Sew to cardigan on each side.

SLEEVES: With No. 1 Needles cast on 68 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles and work in stockinette st for 20 rows. Increase 1 st at each end on next row and every 10th row to 94 sts. Work even until piece measures 21 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm. Decrease 1 st at each end every other row 8 times; bind off 2 sts at beginning of every row to 18 sts. Bind off.

Sew sleeve seams. Sew sleeves in place.

STRIPED PULLOVER No. 4507

SIZE 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: 7 sts to 1 in.

Gold Medal Fingering Yarn (a Jack Frost Product)—
Naturalmist—5 1-oz. Skeins Cadet Blue—3 1-oz. Skeins
Robinmist—1 1-oz. Skein

BACK: With No. 2 Needles and naturalmist cast on 120 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles increasing to 133 sts. Work in stockinette st as follows: * 4 rows of cadet blue, 2 rows of robinmist, 4 rows of cadet blue, 12 rows of naturalmist, repeat from * throughout entire garment for pattern. When piece measures 14 in. or desired length to underarm, bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures 8½ in. from underarm. Bind off 9 sts at beginning of each of next 8 rows. Change to No. 2 Needles and naturalmist, increasing to 42 sts. P 1 row, K 1 row for 8 rows, K 1 row on wrong side for turning ridge, K 1 row, P 1 row, for 8 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 6½ in. from underarm (you should have just finished the 3rd blue stripe from underarm, see illustration); then work as follows: work over 42 sts, place on st-holder. Bind off next 23 sts. On remaining 42 sts work 2 rows even, then decrease 1 st at neck edge every other row 6 times. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 9 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles and naturalmist, on right side of garment, pick up 81 sts from shoulder to shoulder. Work to correspond to back neckband.

Sew shoulder and underarm seams. Turn neckband under on turning ridge and sew to wrong side.

SLEEVES: With No. 4 Needles and naturalmist cast on 88 sts. K 1 row, P 1 row for 8 rows. P 1 row on right side for turning ridge. Work 15 rows in naturalmist then proceed in pattern as given for back, increasing 1 st at each end every 8th row from turning ridge to 98 sts. Work even until piece measures 5½ in. from turning ridge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times, then every 4th row 6 times. Bind off 2 sts at beginning of every row to 24 sts, finishing with naturalmist (see illustration). Sew sleeve seams. Turn hem under at turning ridge and sew to wrong side. Sew sleeves in place.



CREW NECK SLEEVELESS SWEATER No. 4505

CARDIGAN No. 4506

SPORT SHIRT No. 4508

SIZE 38

1 Pr. Standard No. 1 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: $6\frac{1}{2}$ sts to 1 in.

Jack Frost De Luxe Sport Zephyr or Jack Frost Sport Yarn

5 2-oz. Balls Main Color—1-oz. Contrasting Color

BACK: With No. 4 Needles and main color cast on 120 sts. K 1 row, P 1 row for 8 rows. P 1 row on right side for turning ridge. Work even in stockinette st until piece measures 14 in. from lower edge or desired length to underarm. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times, then work as follows: 6 rows contrasting color, 2 rows main color, 6 rows contrasting color, * 14 rows main color, 6 rows contrasting color, 2 rows main color, 6 rows contrasting color, repeat from * until piece measures $8\frac{1}{2}$ in. from underarm. Bind off 10 sts at beginning of each of next 6 rows. Change to No. 1 Needles increasing to 46 sts. P 1 row, K 1 row for 6 rows. K 1 row on wrong side for turning ridge, K 1 row, P 1 row for 6 rows for neckband. Bind off.

FRONT: Cast on 124 sts. Work same as back until piece measures $5\frac{1}{2}$ in. from underarm (2 double rows of contrasting stripes should be completed, see illustration). Work over 38 sts. Place on st-holder. Bind off next 24 sts for front of neck. On remaining 38 sts work 2 rows even, then decrease 1 st at neck edge every other row 8 times. Work even in pattern until piece measures $8\frac{1}{2}$ in. from underarm. Bind off 10 sts at shoulder edge every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 1 Needles and main color, on right side of garment, pick up 88 sts from shoulder to shoulder. Work to correspond to back neckband.

Sew shoulder and underarm seams. Turn neckband under at turning ridge and sew to wrong side.

SLEEVES: With No. 4 Needles cast on 82 sts. K 1 row, P 1 row for 8 rows. P 1 row on right side for turning ridge. Work 13 rows main color, 6 rows contrasting color, 2 rows main color, 6 rows contrasting color, then finish sleeve in main color, increasing 1 st at each end on the 5th row after turning ridge and every 6th row thereafter to 94 sts. Work even until piece measures 5 in. from turning ridge. Bind off 8 sts at beginning of each of the next 2 rows for underarm; decrease 1 st at each end every other row 4 times, then every 3rd row 4 times. Bind off 2 sts at beginning of every row to 22 sts. Bind off.

Sew sleeve seams. Sew sleeves in place. Turn hems under at lower edge of sleeves and body of garment and sew to wrong side.

CLASSIC V NECK PULLOVER No. 4509

SIZE 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: 6 sts to 1 in.

Jack Frost Heathertone or Sport Yarn—7 2-oz. Balls

BACK: With No. 2 Needles cast on 114 sts. Work in ribbing of K 1, P 1, for $3\frac{1}{2}$ in. Change to No. 4 Needles and work even in stockinette st until piece measures 14 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures $8\frac{1}{2}$ in. from underarm. Bind off 9 sts at beginning of each of next 6 rows. On remaining 36 sts, change to No. 2 Needles and work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 13 in. from lower edge. Work over 55 sts, K 2 tog. Place on st-holder. On remaining 57 sts, K 2 tog, K 55. Decrease 1 st at neck edge every 4th row 17 times, at the same time, when piece measures 14 in. from lower edge, bind off 8 sts at underarm edge once; decrease 1 st at underarm edge every other row 4 times. When piece measures $8\frac{1}{2}$ in. from bound off sts at underarm, starting at shoulder edge, bind off 9 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 82 sts from shoulder to point of V, 1 st at point of V, 82 sts from point of V to shoulder. Work in ribbing of K 1, P 1, for 8 rows, decreasing 1 st at each side of st at point of V on every row. Bind off, decreasing as described above. Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 58 sts. Work in ribbing of K 1, P 1, for $3\frac{1}{2}$ in. Change to No. 4 Needles increasing to 68 sts at even intervals across row. Work in stockinette st, increasing 1 st at each end on the 20th and every 10th row hereafter to 94 sts. Work even until sleeve measures 22 in. or desired length from lower edge. Bind off 8 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 8 times. Bind off 2 sts at beginning of every row to 20 sts. Bind off.

Sew sleeve seams. Sew sleeves in place.

BOYS' SIZES—12 to 14 yrs.

Jack Frost Heathertone or Sport Yarn—5 2-oz. Balls

BACK: With No. 2 Needles cast on 96 sts. Work in ribbing of K 1, P 1, for $2\frac{1}{2}$ in. Change to No. 4 Needles and work even in stockinette st until piece measures $10\frac{1}{2}$ in. from lower edge. Bind off 5 sts at beginning of each of the next 2 rows for underarm. Decrease 1 st at each end every other row 3 times. Work even until piece measures $6\frac{1}{2}$ in. from underarm. Bind off 8 sts at beginning of each of next 6 rows. Change to No. 2 Needles increasing to 34 sts. Work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back to underarm. Bind off 5 sts at beginning of each of next 2 rows, then work as follows: K over 43 sts, place on st-holder. On remaining 43 sts, decrease 1 st at underarm edge every other row 3 times, at the same time, start decreasing 1 st at neck edge every other row 4 times, then every 4th row to 24 sts. Work even on remaining 24 sts until piece measures same as back to shoulder. Starting at shoulder edge, bind off 8 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 62 sts from shoulder to point of V, 1 st at point of V, and 62 sts from point of V to right shoulder. Work in ribbing of K 1, P 1, decreasing 1 st at each side of center st at point of V every row for 7 rows. Bind off, decreasing as described above.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 48 sts. Work in ribbing of K 1, P 1, for $2\frac{1}{2}$ in. Change to No. 4 Needles increasing to 54 sts. Work in stockinette st, increasing 1 st at each end every 8th row to 74 sts. Work even until piece measures 18 in. from lower edge. Bind off 8 sts at beginning of each of the next 2 rows; decrease 1 st at each end every other row 3 times, then every 3rd row 6 times. Bind off 3 sts at beginning of each of next 8 rows. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

CLASSIC V NECK SLEEVELESS PULLOVER

No. 4510

SIZE 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: 6 sts to 1 in.

Jack Frost Heathertone or Sport Yarn—3 2-oz. Balls

BACK: With No. 2 Needles cast on 114 sts. Work in ribbing of K 1, P 1, for $3\frac{1}{2}$ in. Change to No. 4 Needles and work even in stockinette st until piece measures 12 in. from lower edge. Bind off 10 sts at beginning of each of next 2 rows for underarm, then 3 sts at beginning of each of next 6 rows. Work even until piece measures 10 in. from underarm. Bind off 6 sts at beginning of each of next 6 rows. Change to No. 2 Needles decreasing to 39 sts. Work in ribbing of K 1, P 1, for 8 rows for neckband. Bind off.

FRONT: Work same as back to underarm. Next row (right side)—Bind off 10 sts, work over next 47 sts, place on st-holder. Work across row. On remaining 57 sts, bind off 10 sts at beginning of next row for underarm, then 3 sts every other row 3 times; at the same time decrease 1 st at neck edge on the 3rd and every 4th row thereafter to 18 sts. Work even until piece measures 10 in. from underarm. Starting at shoulder edge bind off 6 sts every other row 3 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 92 sts from shoulder to point of V, 1 st at point of V, and 92 sts from point of V to shoulder. Work in ribbing of K 1, P 1, decreasing 1 st at each side of st at point of V every row for 8 rows. Bind off, decreasing as given above.

Sew shoulder seams.

ARMHOLE BANDS: With No. 2 Needles, on right side of garment, pick up 180 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew underarm seams.

IMPORTED FLEECE PULLOVER No. 4511

SIZE 36

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: $6\frac{1}{2}$ sts to 1 in.

Jack Frost Imported Fleece—9 1-oz. Balls

BACK: With No. 2 Needles cast on 120 sts. Work in ribbing of K 2, P 2, for $3\frac{1}{2}$ in. Change to No. 4 Needles and work in stockinette st until piece measures 14 in. from lower edge. Bind off 5 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures $8\frac{1}{2}$ in. from underarm. Bind off 8 sts at beginning of each of next 8 rows. Change to No. 2 Needles increasing to 42 sts at even intervals across row. Work in ribbing of K 2, P 2, for 8 rows for neckband. Bind off.

(continued on page 8)



STRIPED PULLOVER No. 4507

SPORT SHIRT No. 4508

IMPORTED FLEECE PULLOVER—(continued from page 6)

FRONT: With No. 2 Needles cast on 112 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 4 Needles increasing to 126 sts at even intervals across row. Work to correspond to back until piece measures 5¼ in. from underarm. Work over 42 sts. Place on st-holder. Bind off next 22 sts. On remaining 42 sts, work 2 rows even, then bind off 2 sts at neck edge every other row 3 times. Decrease 1 st at neck edge every other row 4 times. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 90 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 8 rows. Bind off.

SLEEVES: With No. 4 Needles, on right side of garment, pick up 30 sts across top of shoulder. Work back and forth in stockinette st, picking up 6 sts at end of each row until 108 sts have been picked up from end to end of armhole. Work 3 rows even. Decrease 1 st at each end on the 4th and every 6th row to 92 sts, then every 8th row to 74 sts. Work even until piece measures 18 in. from underarm. Change to No. 2 Needles, decreasing to 62 sts at even intervals across row. Work in ribbing of K 2, P 2, for 3½ in. Bind off.

Sew underarm and sleeve seams.

BOYS' SIZES—8 to 10 yrs.

Jack Frost Imported Fleece—5 1-oz. Balls

BACK: With No. 2 Needles cast on 82 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 4 Needles increasing to 92 sts at even intervals across row. Work even in stockinette st until piece measures 10 in. from lower edge. Bind off 5 sts at beginning of each of the next 2 rows for underarm. Work even until piece measures 5½ in. from underarm. Bind off 8 sts at beginning of each of the next 6 rows. Change to No. 2 Needles increasing to 38 sts. Work in ribbing of K 2, P 2, for 7 rows for neckband. Bind off.

FRONT: Work same as back until piece measures 3½ in. from underarm; then work as follows: work over 29 sts, place on st-holder. Bind off next 24 sts for front of neck. On remaining 29 sts, keeping armhole edge even, decrease 1 st at neck edge every other row 5 times. Work even until piece measures 5½ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 66 sts from shoulder to shoulder. Work in ribbing of K 2 P 2, for 7 rows. Bind off.

SLEEVES: With No. 4 Needles on right side of garment, pick up 80 sts from end to end of armhole. Work 7 rows even; then decrease 1 st at each end of the next row and every 8th row thereafter to 54 sts. Work even until piece measures 11½ in. from underarm. Change to No. 2 Needles decreasing to 44 sts at even intervals across row. Work in ribbing of K 2, P 2, for 2½ in. Bind off.

Sew underarm and sleeve seams.

RIBBED SLEEVELESS PULLOVER No. 4512

SIZE 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: 6½ sts to 1 in.

Jack Frost Heathertone or Jack Frost Sport Yarn—

4 2-oz. Balls

BACK: With No. 2 Needles cast on 118 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles, increasing to 121 sts. Work in rib pattern as follows: **Row 1** (right side)—K 1, P 2, repeat across row ending K 1. **Row 2**—P 1, K 2, repeat across row ending P 1. Repeat above 2 rows until piece measures 12 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm, then 3 sts at beginning of each of next 8 rows. Work even until piece measures 10½ in. from underarm. Bind off 7 sts at beginning of each of next 6 rows. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back until all sts have been bound off at underarm, then work as follows: work over 41 sts, K the next 2 sts tog. Place on st-holder. On remaining 42 sts, work in pattern decreasing 1 st at neck edge every 3rd row to 21 sts. Work even until piece measures 10½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 80 sts from shoulder to point of V, 1 st at point of V, 80 sts from point of V to shoulder. Work in ribbing of K 1, P 1, decreasing 1 st at each side of st at point of V on every row for 7 rows. Bind off, decreasing as described above.

Sew shoulder seams.

ARMHOLE BANDS: With No. 2 Needles, on right side of garment, pick up 178 sts from end to end of armhole. Work in

ribbing of K 1, P 1, for 7 rows. Bind off.

Sew underarm seams.

BOYS' SIZES—10 to 12 yrs.

Jack Frost Heathertone or Jack Frost Sport Yarn—

3 2-oz. Balls

BACK: With No. 2 Needles cast on 94 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles and work in pattern until piece measures 9½ in. from lower edge. Bind off 6 sts at beginning of each of the next 2 rows for underarm. Decrease 1 st at each end every other row 6 times. Work even until piece measures 8 in. from underarm. Bind off 6 sts at beginning of each of the next 6 rows. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 7 rows for neckband. Bind off.

FRONT: Work same as back to underarm. Bind off 6 sts at beginning of each of next 2 rows for underarm. Work over 41 sts, place on st-holder. On remaining 41 sts, decrease 1 st at underarm edge every other row 6 times. At the same time, start decreasing 1 st at neck edge every other row 4 times, then every 4th row 13 times. Work even on remaining 18 sts until piece measures 8 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 3 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 62 sts from shoulder to point of V, 1 st at point of V, and 62 sts from point of V to shoulder. Work in ribbing of K 1, P 1, for 7 rows, decreasing 1 st at each side of st at point of V on every row. Bind off decreasing as described above.

ARMHOLE BANDS: With No. 2 Needles on right side of garment, pick up 123 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew underarm seams.

MAN'S SCARF No. 4513

Jack Frost De Luxe Sport Zephyr or Sport Yarn—

2 2-oz. Balls

1 Pr. Standard No. 3 Needles—14 in.

SCALE: 7 sts to 1 in.

Cast on 57 sts. Work in pattern as follows: **Row 1**—* K 2, P 3, repeat from * across row ending K 2. **Row 2**—* P 2, K 3, repeat from * across row ending P 2. **Row 3**—Repeat row 2. **Row 4**—Repeat row 1. Repeat above 4 rows until piece measures 44 in. or desired length. Bind off. Knot fringe at both ends.

GLOVES No. 4514

SIZE 9 to 10

1 Set Double Pointed Steel Needles No. 12

Jack Frost De Luxe Sport Zephyr or Sport Yarn—

2 2-oz. Balls

Cast on 60 sts loosely. Divide on 3 needles. Join, being careful not to twist. Work in ribbing of K 3, P 2, for 3½ in.

PATTERN—

Round 1—K 2, P 3.

Round 2—K 2, P 3.

Round 3—P 2, K 3.

Round 4—P 2, K 3.

Above 4 rounds form pattern. Work in pattern to within the last 2 sts on 3rd needle (place marker), increase 1 st in each of the next 2 sts (place another marker), work 2 full rounds. On the 3rd round work to within the last 4 sts on 3rd needle. Increase in first st and st before last. Work 2 full rounds. On the next round work to within the last 6 sts on 3rd needle; increase in first st and st before the last. Continue increasing as described above, every 3rd round until there are 22 sts between markers, complete round. Slip 24 sts to a strand of yarn for thumb. Cast on 2 sts and work around for 6 complete patterns.

FIRST FINGER: K 11 sts, slip all remaining sts but the last 7 on strand of yarn. Cast on 4 sts. K the 7 sts. Place on 3 needles. Work for 32 rounds, then, * K 2 tog., repeat from * until 4 sts are left. Break yarn and draw through all sts. Fasten off.

SECOND FINGER: Slip the next 7 sts from strand of yarn to needle and K them, cast on 4 sts, K 7 sts from other end of strand yarn, then pick up 4 sts from the base of first finger. Divide sts on 3 needles. Work 38 rounds. Finish same as first finger.

THIRD FINGER: Slip the next 7 sts from strand of yarn to needle and K them, cast on 3 sts, K 7 sts from other end of strand of yarn, then pick up 4 sts from the base of second finger. Work 32 rounds. Finish same as first finger.

FOURTH FINGER: Slip all sts on needles, pick up 3 sts from base of third finger. Work 30 rounds. Finish same as first finger.

THUMB: Slip sts from strand of yarn to needles, work 24 rounds. Finish same as first finger.

TWO TONE SOCKS No. 4515

SIZE 11

1 Set Double Pointed Steel Needles No. 13

SCALE: 7 sts to 1 in.

Jack Frost Heathertone—Light Oxford—2 2-oz. Balls

Redmist—1 2-oz. Ball

(continued on page 10)



CLASSIC V NECK PULLOVER No. 4509
Boys' Sizes 12 to 14 years included

CLASSIC V NECK SLEEVELESS PULLOVER No. 4510

With Light Oxford cast on 72 sts. Divide on 3 needles. Join, being careful not to twist. Work in ribbing of K 3, P 1, for 3 in. Work in pattern as follows: Join Redmist, * K 3, P 1, K 1, P 1, repeat from * for 4 rows. Pick up Light Oxford, and work 6 rows. Repeat last 10 rows for 7 in. Drop Redmist, (to be picked up later for pattern), slip 39 sts on one needle, and work heel as follows: * slip 1, K 1, repeat from * across. Turn, P back. Turn, * slip 2, K 1, repeat from * across. Repeat above 3 rows for 28 rows.

TURNING OF HEEL: K to within last 14 sts. K 2 tog., turn. Slip 1 st, P to within last 14 sts, P 2 tog., turn, K to within last 12 sts, K 2 tog., turn. P to within last 12 sts, P 2 tog., turn. Continue taking off 2 more sts on each side until all sts have been worked. On first needle, pick up 17 sts on one side of heel, with 2nd needle, work across instep in striped pattern. With 3rd needle, pick up 17 sts on other side of heel, work to center of heel. * On first needle, K to within last 3 sts, K 2 tog., K 1. On 2nd needle, work across instep. On 3rd needle, K 1, K 2 tog. in back of sts, work to end of round. Work 1 round even. Repeat from *, continuing pattern until 72 sts remain. Work even until foot measures 9 in. Complete toe same as given for socks No. 4523.

CABLE STITCH SCARF No. 4516

1 Pr. Standard No. 3 Needles—14 in.

1 Double Pointed Needle

SCALE: 7 sts to 1 in.

Jack Frost De Luxe Sport Zephyr or Sport Yarn— 2 2-oz. Balls

Cast on 74 sts. Work in garter st for 1½ in. Work in pattern as follows:

Row 1—K 7, * P 4, K 4, repeat from * ending K 7.

Row 2—K 7, * K 4, P 4, repeat from * ending K 7.

Row 3—K 7, * P 4, K 4, repeat from * ending K 7.

Repeat rows 2 and 3 once. On 6th row cable over K 4, only as follows: K 7, P 4, * slip the next 2 sts on double pointed needle, hold in back of work. K the next 2 sts, then bring the 2 sts which were slipped, forward, and K them. P 4, repeat from * across row, ending K 7. Continue as given above, reversing pattern and cabling every 6th row until piece measures 42 in. or desired length. Work in garter st for 1½ in. Bind off. Knot fringe at both ends.

SHORT CABLE GLOVES No. 4517

MEDIUM SIZE

1 Set Double Pointed Steel Needles No. 12

SCALE: 7 sts to 1 in.

Jack Frost De Luxe Sport Zephyr or Sport Yarn— 2 2-oz. Balls

Cast on 60 sts. Divide on 3 needles. Join, being careful not to twist. Work in ribbing of P 2, K 2, for 3 in. K 1 round, increasing to 66 sts at even intervals around.

PATTERN—(Start thumb gusset on first round as given below). * P 4, K 4, repeat from * for 5 rounds. On 6th round, cable over all ribs of K 4 as follows: * slip the first 2 sts of the K 4 onto a double pointed needle. Hold in back of work. K the next 2 sts, then bring the 2 sts which were slipped, forward, and K them. P 4, repeat from * around. On next round, reverse pattern, knitting 4 over rib of P 4, and purling 4 over rib of K 4, repeating cables every 6th round, and reversing pattern as described above. On first round of pattern, work to within last 2 sts, place marker for thumb, and increase in each of next 2 sts (starting of thumb gusset). Work 2 rounds even. On the 4th round, work to within last 4 sts, increase 1 st, K 1, increase 1 st, K 1. Work 2 rounds even. On next round work to within last 6 sts, increase 1 st, K 3, increase 1 st, K 1. Continue increasing every 3rd round, having 2 more sts between markers, until there are 21 sts between increases. On next round slip 23 sts for thumb gusset to strand of yarn, join. Work even for 4 complete patterns.

FIRST FINGER: K 11 sts, slip all remaining sts but the last 7 on strand of yarn, cast on 4 sts, K the 7 sts. Divide on 3 needles, and work 32 rounds, then, * K 2 tog., repeat from * until 3 sts are left. Break yarn and draw through all sts. Fasten off.

SECOND FINGER: Slip the next 8 sts from strand of yarn to needle, and K them. Cast on 4 sts, slip 8 sts from other end of strand of yarn, then pick up 4 sts from base of first finger. Divide on 3 needles. Work for 35 rounds, finish same as first finger.

THIRD FINGER: Slip the next 7 sts from strand of yarn to needle and K them. Cast on 4 sts, K 7 sts from other end of strand of yarn, pick up 4 sts from base of second finger. Work 30 rounds, finish same as first finger.

FOURTH FINGER: Slip all sts on needles, pick up 4 sts from base of 3rd finger. K 22 rounds. Finish same as first finger.

THUMB: Slip sts from strand of yarn to needles. Pick up 2 sts, decreasing them in next round. Work 22 rounds even. Finish same as first finger. Work other glove to correspond.

STRIPED SOCKS No. 4518

SIZE 10½ to 11½

1 Set Steel Sock Needles No. 12

SCALE: 7 sts to 1 in.

Jack Frost Heathertone—Natural 2 2-oz. Balls Junglemist—1 2-oz. Ball; Greenmist—1 2-oz. Ball

With Natural, cast on 68 sts. Join, being careful not to twist, dividing on 3 needles. Work in ribbing of K 1, P 1, for 3 in., then * work in ribbing of K 2, P 1, for 2 rounds. Join Greenmist, work 2 rounds; join Natural, work 2 rounds; join Junglemist, work 2 rounds, repeat from * for 7 in., always twisting yarn when joining colors. Slip 34 sts on one needle. Working over the 34 sts with Natural, K 2, * slip 1, K 1, repeat from * to end. P back. Repeat above 2 rows for 30 rows.

TURNING OF HEEL: K 20, K 2 tog., turn. P 7, P 2 tog., turn. K 8, K 2 tog., turn. P 9, P 2 tog., turn. K 10, K 2 tog., turn. Continue in this manner until all heel sts are worked. Pick up 17 sts on one side of heel. With 2nd needle, work across instep in pattern of K 2, P 1. With 3rd needle, pick up 17 sts on other side of heel, and work to center of heel. Working in stripes, continue as follows: * on first needle, work to within last 4 sts, K 2 tog., K 2. On 2nd needle, work across instep. On 3rd needle, K 2, K 2 tog. in back of sts. Work to end. Work 1 round even. Repeat from *, continuing pattern, until 64 sts remain. Work even for 5½ in.

TOE: Starting from center of sole, place 16 sts on first needle, 32 sts on 2nd needle, and remaining 16 sts on 3rd needle. Then work as follows: On first needle, K to within last 4 sts, K 2 tog., K 2. On 2nd needle, K 2, K 2 tog., in back of sts, work to within last 4 sts, K 2 tog., K 2. On 3rd needle, K 2, K 2 tog., in back of sts. K 1 round even. Repeat above 2 rounds until 10 sts remain on front needle, and 5 sts on each of other 2 needles. Bind off and sew or weave tog.

GARTER STITCH SCARF No. 4519

1 Pr. Standard No. 5 Needles—14 in.

SCALE: 6 sts to 1 in.

Jack Frost De Luxe Sport Zephyr or Sport Yarn— 2 2-oz. Balls

Cast on 48 sts. Work even in garter st (K all rows) until piece measures 42 in. or desired length. Bind off. Knot fringe at both ends.

CLASSIC GLOVES No. 4520

SIZE 9 to 10

1 Set Double Pointed Needles No. 12

Jack Frost De Luxe Sport Zephyr or Sport Yarn— 2 2-oz. Balls

RIGHT HAND GLOVE: Cast on 56 sts, loosely. Divide on 3 Needles. Join, being careful not to twist. Work in ribbing of K 1, P 1, for 3 in. K 1 round (place marker), increase 1 st in next st. K 1, increase 1 st in next st (place marker) K to end of round. Work 2 full rounds. On the next round, increase in first and last sts between markers, having 3 sts between. Work 2 full rounds. On the next round increase 1 st in 1st and last st between markers having 5 sts between. Continue to increase in first and last sts between markers, every 3rd round, having 2 more sts between increases in every increasing round, until there are 21 sts in thumb gore. K 2 rounds even. K first st of thumb gore, place next 19 sts to a strand of yarn for thumb. Cast on 5 sts (inner side of thumb), K to end of round (60 sts). Work 25 rounds even (2¼ in.), ending just before the 5 cast on sts.

FIRST FINGER: Slip the last 10 sts worked to a free needle. With another needle K the next 5 sts (the sts over the 5 cast on sts), K 2 more sts to the last needle; slip remaining 43 sts to a strand of yarn. Cast on 4 sts. Divide on 3 needles. Join and K for 3 in., then start decreasing as follows: K 2 tog. K to end of round. K 1 round even. * K 2 tog., K 3, repeat from * to end of round. K 1 round even. * K 2 tog., K 2, repeat from * to end of round. K 1 round even. K 2 tog. 6 times. Break yarn and draw through all sts.

SECOND FINGER: Slip the next 7 sts from strand of yarn to needle; pick up 4 sts on the 4 cast on sts of first finger; slip 7 sts from other end of strand of yarn to a needle, K these 18 sts, cast on 3 sts (21 sts). Divide on 3 needles and work even for 3¼ in. Decrease as given for first finger.


THIRD FINGER: Slip the next 7 sts from strand of yarn to needle; pick up 3 sts on the 3 cast on sts; slip 7 sts from other end of strand of yarn to a needle, cast on 3 sts. Complete as given for first finger, omitting the first decrease.

FOURTH FINGER: Slip remaining 15 sts to needle, pick up 3 sts on the 3 cast on sts on 3rd finger: work even for 2½ in. Decrease as follows: * K 2 tog., K 1, repeat from * 5 times. K 1 round even. K 2 tog. 6 times. Finish same as first finger.

THUMB: Slip sts from strand of yarn to needles, pick up 5 sts on the cast on sts and an extra st at each end (26 sts). K 2 rounds even. * Decrease 1 st at center of the 5 cast on sts; K 1 round even, repeat from * 3 times. Work even until thumb measures 2¼ in., then decrease as follows: * K 2 tog., K 9, repeat from * once. K 1 round even. Decrease as given for first finger from 20 sts. Fasten off.

LEFT HAND GLOVE: Begin the first finger 2 sts before the 5

(continued on page 14)



IMPORTED FLEECE PULLOVER No. 4511
Boys' Sizes 8 to 10 years included

RIBBED SLEEVELESS PULLOVER No. 4512
Boys' Sizes 10 to 12 years included

No. 4515



No. 4516



No. 4514



No. 4513



No. 4521



No. 4522



No. 4523

No. 4517



No. 4518



No. 4520



No. 4519



No. 4524



No. 4525



No. 4526



CLASSIC GLOVES—(continued from page 10)

cast on sts at inside of thumb; K the 5 sts over the 5 cast on sts and the next 10 sts. Cast on 4 sts for inside of finger (21 sts). Work fingers as on right glove.

CABLE SPORT SOCKS No. 4521

SIZE 11 to 12

1 Pr. Standard No. 2 Needles—14 in.

1 Double Pointed Needle

SCALE: 7½ sts to 1 in.

Jack Frost De Luxe Sport Zephyr, Sport Yarn or Heathertone—2 2-oz. Balls

With No. 2 Needles, cast on 68 sts. Work in ribbing of P 2, K 2, for 3 in. P 1 row increasing to 70 sts, across row. Work in pattern as follows:

Row 1—K 4, * P 1, K 4, P 1, K 8, repeat from * ending K 4.

Row 2—P 4, * K 1, P 4, K 1, P 8, repeat from * ending P 4.

Repeat above 2 rows working a cable twist over the ribs of K 4 on the 7th row and every 8th row thereafter, as follows: K 4, * P 1, slip the next 2 sts onto double pointed needle, hold in back of work. K the next 2 sts, then bring the 2 sts which were slipped, forward, and K them. P 1, K 8, repeat from * ending K 4. Repeat cables until piece measures 7 in. from ribbing. Work over 52 sts, slip the last 18 sts to st-holder. Turn, work over 34 sts, slip last 18 sts to st-holder, then work in pattern until 11 cable rows have been completed.

TOE: Row 1—K 2, K 2 tog., in back of sts, K to within last 4 sts, K 2 tog. in front of sts, K 2. Purl back. Repeat last 2 rows until 9 sts are left. Slip to st-holder.

HEEL: Fold so both ends will meet at center of heel. Slip 36 sts from st-holder to needle. On right side, * slip 1 st (as if to K), K 1, repeat from * across, turn. Slip 1 st, Purl across. Repeat above 2 rows for 2 in., then work as follows:

Row 1—Slip 1 st, K to within last 16 sts, K 2 tog. in back of sts, turn.

Row 2—Slip 1 st, purl to last 16 sts, P 2 tog., turn. Repeat above 2 rows, taking 2 more sts from each side until all sts have been used (18 sts remain). Pick up 14 sts on each side of heel, then work as follows:

Row 1—K 2, K 2 tog. in back of sts, K to within last 4 sts, K 2 tog., K 2. Purl back. Repeat above 2 rows until 36 sts remain. Work even until piece corresponds to last cable on upper half. Decrease as given for toe. Bind off or weave sts tog. Sew the back and side seams together.

CLASSIC SOCKS No. 4522

MEDIUM SIZE

1 Set Double Pointed Needles No. 12

SCALE: 8 sts to 1 in.

Jack Frost De Luxe Sport Zephyr or Sport Yarn—2 2-oz. Balls

Cast on 64 sts. loosely. Divide on 4 needles (16 sts on each needle). Join, being careful not to twist. Work in ribbing of K 1, P 1, for 4 in. Discontinue ribbing, and K plain until piece measures 4½ in. from cuff. Slip 34 sts on one needle for heel. Work heel as follows: starting on wrong side, * slip 1 st, P 1 st, repeat from * across row. Next row: slip 1 st, K across row. Repeat above 2 rows for 2 in. Starting on P side, turn heel as follows: slip 1 st, P 18, P 2 tog., turn, slip 1 st, K 4, slip 1 st, K 1, pass slip st over the K st (slip, K and pass), turn, Slip 1 st, P 5, P 2 tog., turn, slip 1 st, K 6, slip, K and pass. Continue to work toward the sides of heel as given above, having 1 more st between decreases every row until all sts are worked. (18 sts left on heel needle). With heel needle, pick up and K 15 sts on left side of heel. K across the 2 instep needles; with 4th needle, pick up and K 15 sts on right side of heel, K 9 sts from heel needle (24 sts on each sole needle, 15 sts on each instep needle). * K 1 row even. Counting from center of heel, K to within last 3 sts on first needle, K 2 tog., K 1. Work across instep. On 4th needle, K 1, slip 1 st, pass slip st over, K to end of needle. Repeat from * until 13 sts are left on each heel needle. Work even until foot measures 8½ in. from tip of heel, or desired length. Starting at center of sole, place 14 sts on first needle, 28 sts on 2nd needle, and 14 sts on 3rd needle. Decrease for toe as follows: * K to within last 3 sts on first needle, K 2 tog., K 1. On 2nd needle, K 1, slip 1 st, K 1, pass slip st over, K to within last 3 sts, K 2 tog., K 1. On 3rd needle, K 1, slip 1, K 1, pass slip st over, K to end. Work 1 round even. Repeat from * until 16 sts remain. Sew or weave together.

SOCKS No. 4523

SIZE 11

1 Set Double Pointed Needles No. 13

Gold Medal Fingering Yarn (A Jack Frost product)

4 1-oz. Skeins

Cast on 72 sts loosely. Divide on 3 needles. Join, being careful not to twist. * P 3, K 3, repeat from * for 3 in., then work in

pattern as follows:

Round 1—* P 3, K 3, repeat from * around.

Round 2—Repeat Round 1.

Round 3—P 4, * K 3, P 3, repeat from * ending K 3.

Repeat above 3 rounds until piece measures 7 in. from ribbing. **HEEL:** Slip 36 sts on one needle and work heel as follows: Slip 2 sts, * P 1, slip 1 st, repeat from * to end, turn. Slip 1 st, K across. Repeat above 2 rows 14 times. Turning of Heel—Slip 1 st, P to within last 16 sts, P 2 tog., P 1, turn. Slip 1 st, K to within last 16 sts, K 2 tog. in back of sts, K 1, turn. Continue as given above, having 3 less sts on each side every row until all sts have been worked. With first needle, pick up 18 sts on one side of heel. With 2nd needle, work across instep in pattern. With 3rd needle, pick up 18 sts on other side of heel, work to center of heel. * Work 1 round even. On first needle, K to within last 3 sts, K 2 tog., K 1. On 2nd needle, work in pattern across instep. On 3rd needle, K 1, K 2 tog. in back of sts, K to end of needle. Repeat from * until 72 sts remain. Work even until foot measures 9 in., or desired length to starting of toe.

TOE: Starting from center of sole, divide sts as follows: Place 18 sts on first needle, 36 sts on 2nd needle, and remaining 18 sts on 3rd needle. K to within last 4 sts on first needle, K 2 tog., K 2. On 2nd needle, K 2, K 2 tog. in back of sts, K to within last 4 sts, K 2 tog., K 2. On 3rd needle, K 2, K 2 tog. in back of sts, work to end of round. Work 1 round even. Repeat last 2 rounds until 10 sts remain. Bind off, knitting front and back sts tog. as you bind off.

DRESS SOCKS No. 4524

SIZE 10 to 11

1 Set Double Pointed Steel Needles No. 13

SCALE: 7½ sts to 1 in.

Gold Medal Fingering Yarn (A Jack Frost Product)

3 1-oz. Skeins

Cast on 72 sts. Divide on 3 needles. Join, being careful not to twist. Work in ribbing of K 2, P 2, for 3 in., then work in ribbing of K 5, P 1, for 6½ in. Slip 35 sts on one needle for heel. Work heel as follows: P 2, * slip 1, K 1, repeat from * ending P 2. Turn, P back. Repeat above 2 rows for 2 in.

TURNING OF HEEL: K to within last 14 sts, K 2 tog. in back of sts, turn. Slip 1 st, P to within last 12 sts, P 2 tog., turn. Slip 1, K to within last 12 sts, K 2 tog. in back of sts, turn. Slip 1, P to within last 12 sts, P 2 tog., turn. Continue in this manner, working 2 sts less on each side, until all sts are worked. With first needle, pick up 18 sts on one side of heel, with 2nd needle, work in pattern of P 1, K 5, across instep. With 3rd needle, pick up 18 sts on other side of heel. Work to center of heel. * Work 1 round even. On first needle, work to within last 4 sts, K 2 tog., K 2. On 2nd needle, work across instep. On 3rd needle, K 2, K 2 tog. in back of sts. Repeat from * until 72 sts remain. Work even for 6½ in. P 2 rounds. Complete toe as given for socks No. 4523. With tapestry needle, work a buttonhole st over P st between ribs of K 5 from cuff to toe, with any contrasting color.

TWEED TONE SOCKS No. 4525

SIZE: 10½ to 11½

1 Set Double Pointed Steel Needles No. 13

SCALE: 8 sts to 1 in.

Gold Medal Fingering Yarn (A Jack Frost product)

Almondmist—3 1-oz. Skeins; Naturalmist—3 1-oz. Skeins

With Almondmist cast on 68 sts loosely. Divide on 3 needles. Join, being careful not to twist. Work in ribbing of P 2, K 2, for 3 in. K 1 round, increasing to 79 sts at even intervals around. Tie Naturalmist, and holding Almondmist in left hand and Naturalmist in right hand, * K 1 st from left hand, and 1 st from right, repeat from * alternating colors in the above manner until piece measures 7 in. from ribbing.

HEEL: Slip 38 sts on one needle and work heel as follows: **Row 1—**Slip 1 st, K 2, * slip 1 st, K 1, repeat from * to end. **Row 2—**Slip 1 st, P back. Repeat above 2 rows for 2 in.

TURNING OF HEEL: Slip 1 st, K 21, K 2 tog. in back of sts, K 1 st, turn. Slip 1 st, P 7, P 2 tog., P 1, turn. Slip 1 st, K 8, K 2 tog., K 1, turn. Slip 1 st, P 9, P 2 tog., P 1, turn. Slip 1 st, K 10 sts, K 2 tog., K 1, turn. Continue in this manner, working 1 more st on each side before decreasing, until all sts are worked. Holding right side toward you, with first needle, pick up 15 sts on side of heel. Tie Naturalmist, and with 2nd needle, work across instep, alternating colors. With 3rd needle, pick up 15 sts on other side of heel, and work to center. Slip remaining sts to first needle. * Work 1 round. On first needle, K to within last 4 sts, K 2 tog., K 3; on 2nd needle, work across instep; on 3rd needle, K 2, K 2 tog. in back of sts, work to end. Repeat from * until 79 sts remain. Work even until foot measures 8½ to 9½ in., allowing 2 in. for toe.

TOE: Starting from center of sole, place 20 sts on first needle, 39 sts on 2nd needle, and 20 sts on 3rd needle. * On first needle, K to within last 4 sts, K 2 tog., K 2. On 2nd needle, K 2, K 2 tog., in back of sts, K to within last 4 sts, K 2 tog., K 2. On 3rd

(continued on page 16)



V NECK RIBBED PULLOVER No. 4527

CABLE STITCH PULLOVER No. 4528
Boys' Sizes 10 to 12 years included

needle, K 2, K 2 tog., in back of sts, work to end. K 1 round even. Repeat from * until 16 sts are left. Bind off and sew or weave tog.

RIBBED SOCKS No. 4526

SIZE 10½ to 11½

1 Set Double Pointed Steel Needles No. 12

Jack Frost Sport Yarn or Heathertone—2 2-oz. Balls

Cast on 68 sts. Divide on 3 needles. Join, being careful not to twist. Work in ribbing of K 2, P 2, for 3 in., then work in ribbing of K 3, P 1, for 6½ in. Work heel as follows: Slip 33 sts on one needle. * K 1 row, turn. Slip 1 st as if to K. P 1 st, repeat across row. Turn. Repeat from * for 2 in.

TURNING OF HEEL: Slip 1, K 18, K 2 tog., turn. Slip 1, P 5, P 2 tog., turn. Slip 1, K 6, K 2 tog., turn. Slip 1, P 7, P 2 tog., turn. Continue in this manner, working 1 more st from each side until all sts are worked. With first needle, pick up 21 sts on one side of heel. With 2nd needle, work across instep in pattern of P 1, K 3. With 3rd needle, pick up 21 sts on other side of heel. Work to center of heel. * Work 1 round even. On first needle, work to within last 3 sts, K 2 tog, K 1. On 2nd needle, work across instep in pattern of P 1, K 3. On 3rd needle, K 1, K 2 tog., in back of sts, work to end of round. Repeat from * until 68 sts remain. Work even until foot measures 8½ to 9½ in., allowing 2 in. for toe.

TOE: Starting from center of sole, slip 17 sts on first needle, 34 sts on 2nd needle, and remaining 17 sts on 3rd needle. Work as follows: On first needle, K to within last 4 sts, K 2 tog., K 2. On 2nd needle, K 2, K 2 tog. in back of sts, work to within last 4 sts, K 2 tog., K 2. On 3rd needle, K 2, K 2 tog. in back of sts. K 1 round even. Repeat above 2 rounds until 8 sts remain. Weave toe tog.

V NECK RIBBED PULLOVER No. 4527

SIZE 36 to 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 3 Needles—14 in.

SCALE: 7 sts to 1 in.

Jack Frost De Luxe Sport Zephyr or Jack Frost Sport Yarn
7 2-oz. Balls

BACK: With No. 2 Needles cast on 118 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 3 Needles, increasing to 128 sts. Work in pattern as follows: **Row 1**—P 4, * K 8, P 6, repeat from * across row ending P 4. **Row 2**—K 4, * P 8, K 6, repeat from * across row ending K 4. Repeat above 2 rows until piece measures 14 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm. Decrease 1 st at each end every other row 5 times. Work even until piece measures 8½ in. from underarm. Bind off 8 sts at beginning of each of next 8 rows. Change to No. 2 Needles and work in ribbing of K 2, P 2, for 8 rows. Bind off.

FRONT: With No. 2 Needles cast on 118 sts. Work same as back to underarm. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times, then work as follows: work over 53 sts, place on st-holder. On remaining 53 sts decrease 1 st at neck edge every other row 4 times, then every 4th row to 32 sts. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 80 sts from shoulder to point of V, 1 st at point of V, 80 sts from point of V to shoulder. Work in ribbing of K 2, P 2, decreasing 1 st at each side of st at point of V on every row for 8 rows. Bind off, decreasing as above. Sew shoulder seams.

SLEEVES: With No. 2 Needles cast on 60 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 3 Needles increasing to 72 sts. Work in rib pattern, increasing 1 st at each end on the 5th and every 10th row thereafter to 100 sts. Work even until piece measures 21 in. or desired length. Bind off 6 sts at beginning of each of next 2 rows. Decrease 1 st at each end every other row 6 times, bind off 2 sts at beginning of every row until 20 sts remain. Bind off.

Sew underarm seams. Sew sleeve seams. Sew sleeves in place.

CABLE STITCH PULLOVER No. 4528

SIZE 36 to 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

1 Double Pointed Needle Size 4

SCALE: 7 sts to 1 in.

Gold Medal Fingering Yarn (A Jack Frost Product)—
10 1-oz. Skeins

BACK: With No. 2 Needles cast on 118 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 4 Needles increasing to 122 sts at even intervals across row. Work in pattern as follows:

Row 1 (right side)—* K 2, P 2, K 4, P 2, repeat from * across row ending K 2. **Row 2**—* P 2, K 2, P 4, K 2, repeat from * across row ending P 2. Repeat above 2 rows, working a cable twist over the ribs of K 4, on the 3rd and every 6th row thereafter as follows: slip the first 2 sts onto double pointed needle, hold in back of work. K the next 2 sts, then bring the 2 sts which were slipped, forward, and K them. When piece measures 14 in. from lower edge, bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 8½ in. from underarm. Bind off 8 sts at beginning of each of next 8 rows. Change to No. 2 needles increasing to 44 sts at even intervals across row. Work in ribbing of K 2, P 2, for 8 rows for neckband. Bind off.

FRONT: Work same as back to underarm, increasing to 132 sts after the ribbing instead of 122 as on back. Bind off 6 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 4 times. On the next row (right side), work over 54 sts, K 2 tog. Place on st-holder. K the next 2 sts tog., work across row. Keeping armhole edge even, decrease 1 st at neck edge every other row 12 times, then every 4th row until 32 sts remain on needle. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 90 sts from shoulder to point of V, 1 st at point of V, 90 sts from point of V to shoulder. Work in ribbing of K 2, P 2, for 8 rows, decreasing 1 st at each side of st picked up at point of V on every row. Bind off, decreasing as given above.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 56 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 4 Needles, increasing to 72 sts at even intervals across row. Work in pattern as on back, increasing 1 st at each end on the 11th and every 10th row thereafter to 96 sts, then every 8th row to 106 sts. Work even until piece measures 22 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 8 times. Bind off 2 sts at beginning of each of next 26 rows. Bind off remaining sts. Sew sleeve seams. Sew sleeves in place.

BOYS' SIZES—10 to 12 yrs.

Gold Medal Fingering Yarn (A Jack Frost Product)—
6 1-oz. Skeins

BACK: With No. 2 Needles cast on 102 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 4 Needles and work in pattern until piece measures 10 in. from lower edge, or desired length. Bind off 5 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures 5¼ in. from underarm. Bind off 8 sts at beginning of each of next 2 rows, then 9 sts at beginning of each of next 4 rows. Change to No. 2 Needles, increasing to 38 sts at even intervals across row. Work in ribbing of K 2, P 2, for 7 rows for neckband. Bind off.

FRONT: Work same as back to underarm. Then divide work as follows: work over 51 sts. Place on st-holder. On remaining 51 sts, bind off 5 sts at underarm edge once, then decrease 1 st at underarm edge every other row 5 times; at the same time, decrease 1 st at neck edge every 3rd row 15 times. Work even until armhole corresponds to back. Starting at shoulder edge, bind off 8 sts once, then 9 sts every other row twice. Work other side to correspond.

FRONT NECKBAND: On right side of garment, with No. 2 Needles, pick up 60 sts from shoulder to point of V, 1 st at point of V, and 60 sts on other side to shoulder. Work in ribbing of K 2, P 2, decreasing 1 st on each side of st at point of V, every row for 7 rows. Bind off, decreasing as described above.

SLEEVES: With No. 2 Needles cast on 54 sts. Work in ribbing of K 2, P 2, for 2½ in. Change to No. 4 Needles, increasing to 62 sts at even intervals across row. Work 10 rows even. Increase 1 st at each end of next row and every 8th row thereafter, 7 times (76 sts). Work even until sleeve measures 14 in. or desired length from lower edge. Bind off 5 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 5 times. Bind off 2 sts at beginning of each of next 20 rows. Bind off remaining sts.

Sew shoulder and underarm seams. Sew sleeve seams and sew sleeves in place.

CREW NECK PULLOVER No. 4529

SIZE 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 3 Needles—14 in.

SCALE: 7 sts to 1 in.

Jack Frost De Luxe Sport Zephyr or Sport Yarn
7 2-oz. Balls

BACK: With No. 2 Needles cast on 118 sts. Work in ribbing as follows: **Row 1** (right side)—K 1, * P 2, K 1, repeat from * across row. **Row 2**—P 1, * K 2, P 1, repeat from * across row.

(continued on page 18)



CREW NECK PULLOVER No. 4529

V NECK CABLE PULLOVER No. 4530

CREW NECK PULLOVER (continued from page 16)

Repeat above 2 rows until piece measures $3\frac{1}{2}$ in., ending with Row 1. Change to No. 3 Needles; P 1 row, increasing to 134 sts at even intervals across row. Work in pattern as follows: Row 1 (right side)—K 4, * P 2, K 1, P 2, K 6, repeat from * across row ending K 4. Row 2—P 4, * K 2, P 1, K 2, P 6, repeat from * across row ending P 4. The above 2 rows form pattern. Repeat them until piece measures 14 in. from lower edge, or desired length. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures $8\frac{1}{2}$ in. from underarm. Starting on wrong side, work over 31 sts. Place on st-holder. Work over next 50 sts, place remaining 31 sts on st-holder for right shoulder. On center 50 sts, work 3 rows even. Decrease 1 st at beginning of each of next 4 rows. Work 1 row even. Bind off loosely.

FRONT: Cast on 46 sts loosely. Work in pattern as follows: Row 1 (right side)—K 4, * P 2, K 1, P 2, K 6, repeat from * across row ending last repeat K 4. Continuing pattern, increase 1 st at beginning of each of next 4 rows. Work 3 rows even. Join to right shoulder and work across. Place marker. Work back in pattern, join to left shoulder, and work across. Place marker. Work even in pattern until piece measures $7\frac{1}{2}$ in. from marker. Increase 1 st at each end every other row 5 times; cast on 6 sts at beginning of each of next 2 rows. Work even until piece corresponds to back to ribbing. Change to No. 2 Needles, decreasing to 118 sts at even intervals across row. Work in ribbing to correspond to back for $3\frac{1}{2}$ in. Bind off.

SLEEVES: With No. 2 Needles cast on 61 sts. Work in ribbing as given for waistband for 4 in. Change to No. 3 Needles, P 1 row increasing to 68 sts at even intervals across row. Work in pattern as given for back, increasing 1 st at each end on the 20th and every 10th row thereafter to 94 sts. Work even until sleeve measures 22 in., or desired length from lower edge. Bind off 6 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 6 times. Bind off 2 sts at beginning of each of next 12 rows. Bind off remaining sts. Sew underarm and sleeve seams. Sew sleeves in place. Turn neckband under and sew to wrong side as illustrated.

V NECK CABLE PULLOVER No. 4530

SIZE 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

1 Size 4 Double Pointed Needle

Jack Frost Heathertone or Jack Frost Sport Yarn

7 2-oz. Balls

BACK: With No. 2 Needles cast on 120 sts. Work in ribbing of K 2, P 2, for $3\frac{1}{2}$ in. Change to No. 4 Needles increasing to 146 sts at even intervals across row, then work in pattern as follows: Row 1 (right side)—K 2, P 2, over the first 28 sts, * P 3, K 12, P 3; K 2, P 2, over the next 18 sts, repeat from * once, P 3, K 12, P 3; K 2, P 2, over remaining 28 sts. Row 2—P 2, K 2, over the first 28 sts, * K 3, P 12, K 3; P 2, K 2, over the next 18 sts, repeat from * once, K 3, P 12, K 3; P 2, K 2, over remaining 28 sts. Repeat above 2 rows, working a cable twist over the rib of K 12, on the 7th row as follows: slip the first 4 sts onto double pointed needle (D P N), hold in back of work, K the next 4 sts, then bring the sts that were slipped, forward, and K them. Work across row repeating cable twist over each rib of K 12. Work 7 rows even, then work a cable twist over each rib of K 12 as follows: K 4, slip the next 4 sts onto the D P N, hold in front of work. K the next 4 sts, then K sts from the D P N. Repeat cable twists every 8th row, alternating as described above, until piece measures 14 in. from lower edge. Bind off 12 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures $8\frac{1}{2}$ in. from underarm. Bind off 10 sts at beginning of each of next 6 rows. Change to No. 2 Needles decreasing to 46 sts. Work in ribbing of K 2, P 2, for 9 rows. Bind off.

FRONT: Work same as back to underarm, then work as follows (right side): bind off first 12 sts, work across next 61 sts, place on st-holder. On remaining 73 sts, work across row. Bind off 12 sts at beginning of next row for underarm. Decrease 1 st at underarm edge every other row 8 times; at the same time decrease 1 st at neck edge every other row 8 times, then every 3rd row until 30 sts remain. Work even until piece measures $8\frac{1}{2}$ in. from underarm. Starting at shoulder edge, bind off 10 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 78 sts from shoulder to point of V. Work in ribbing of K 2, P 2, for 9 rows. Bind off. On right side of garment pick up 78 sts from point of V to shoulder. Work to correspond to other side.

Sew shoulder and underarm seams. Cross neck band at point of V and sew to garment (see illustration).

SLEEVES: With No. 2 Needles cast on 60 sts. Work in ribbing of K 2, P 2, for $3\frac{1}{2}$ in. Change to No. 4 Needles increasing to 66 sts. Work in pattern as follows: P 2, K 2, over first 24 sts, P 3,

K 12, P 3, K 2, P 2, over remaining 24 sts. Continue in pattern working a cable twist over the center rib of K 12 only, as described for back, increasing 1 st at each end on the 9th row and every 8th row thereafter 9 times, then every 6th row to 106 sts. Work even until piece measures 21 in. from lower edge or desired length. Bind off 10 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 8 times. Bind off 2 sts at beginning of every row to 30 sts. Bind off. Sew sleeve seams. Sew sleeves in place.

TENNIS SLEEVELESS PULLOVER No. 4531

SIZE 38

1 Pr. Standard No. 1 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

1 Size 4 Double Pointed Needle

Jack Frost De Luxe Sport Zephyr or Jack Frost Sport Yarn
4 2-oz. Balls White— $\frac{1}{2}$ oz. Contrasting Color

BACK: With No. 1 Needles and white cast on 122 sts. Work in ribbing of K 2, P 2, for 4 in. Change to No. 4 Needles increasing to 148 sts. Work in pattern as given for tennis pullover No. 4532 as follows: 6 rows contrasting color, change to white and work 4 rows, change to contrasting color and work 6 rows. Change to white and continue pattern until piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; then 2 sts at beginning of each of next 12 rows. Work even until piece measures $10\frac{1}{2}$ in. from underarm. Bind off 6 sts at beginning of each of next 6 rows. Change to No. 1 needles, decreasing to 58 sts. Complete back neckband as given for No. 4532, working colors to correspond to bands above ribbing.

FRONT: Work same as back to underarm, then divide work as follows: work over 74 sts. Place on st-holder. On remaining 74 sts, bind off for underarm as given for back. Decrease 1 st at neck edge every other row 8 times then every 3rd row to 24 sts, then every other row to 18 sts. Work even until piece measures $10\frac{1}{2}$ in. from underarm. Starting at shoulder edge bind off 6 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: Work as given for No. 4532, using colors to correspond to back neckband.

Sew shoulder seams.

ARMHOLE BANDS: With No. 1 Needles and white yarn, on right side of garment, pick up 198 sts from end to end of armhole. Work in ribbing of K 2, P 2, for 8 rows. Bind off. Sew underarm seams.

TENNIS PULLOVER No. 4532

SIZE 38

1 Pr. Standard No. 1 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

1 Double Pointed Needle Size 4

Jack Frost De Luxe Sport Zephyr or Jack Frost Sport Yarn
White—6 2-oz. Balls Harding Blue—1 2-oz. Ball
Navy—1 2-oz. Ball

BACK: With No. 1 Needles and white cast on 122 sts. Work in ribbing of K 1, P 1, for 4 in. Change to No. 4 Needles and navy. P 1 row increasing to 148 sts at even intervals across the row; then work in pattern as follows: Row 1 (right side)—K 1, P 2, K 1, P 2, K 8, * P 2, K 1, P 2, K 1, P 2, K 8, repeat from * across row ending P 2, K 1, P 2, K 1. Row 2—P 1, K 2, P 1, K 2, P 8, * K 2, P 1, K 2, P 1, K 2, P 8, repeat from * across row ending K 2, P 1, K 2, P 1. Repeat above 2 rows 3 times, then change to harding blue and continue pattern for 8 rows, working a cable over the ribs of K 8 on the 7th and every 12th row thereafter to shoulder as follows: slip the first 4 sts onto double pointed needle, hold in back of work, K the next 4 sts, then bring the 4 slipped sts forward and K them. After the 8 rows of harding blue have been completed, change to white and continue pattern until piece measures 14 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures $8\frac{1}{2}$ in. from underarm. Bind off 8 sts at beginning of each of next 6 rows.

BACK NECKBAND: With No. 1 Needles and navy, on right side of garment, K 1 row decreasing to 62 sts at even intervals across row. Work in ribbing of K 2, P 2, for 10 rows, decreasing 1 st at each end on the 2nd and every other row until 4 decreases have been made at each end. Change to harding blue and continue ribbing of K 2, P 2, for 10 rows. Bind off.

FRONT: Work same as back until piece measures 12 in. from lower edge; then divide work as follows: work over 74 sts, place on st-holder. On remaining 74 sts, decrease 1 st at neck edge every other row 8 times, then every 3rd row to 24 sts. At the same time, when piece measures 14 in. from lower edge, bind off 8 sts at underarm edge once; decrease 1 st at underarm edge every other row 6 times. Work even until piece measures $8\frac{1}{2}$ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 1 Needles and navy, on right

(continued on page 20)



TENNIS SLEEVELESS PULLOVER No. 4531

TENNIS PULLOVER No. 4532

TENNIS PULLOVER (continued from page 18)

side of garment, pick up 96 sts from shoulder to point of V, 1 st at point of V, 96 sts from point of V to shoulder. Work in ribbing of K 2, P 2, decreasing 1 st on each side of the st at point of V on every row, and increasing 1 st at shoulder every other row 4 times. When 10 rows of navy have been completed, change to harding blue and continue ribbing of K 2, P 2, and decreases at point of V, for 10 rows. Bind off, decreasing as described above.

Sew shoulder and underarm seams.

SLEEVES: With No. 1 needles and white, cast on 66 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to navy and No. 4 Needles and P 1 row increasing to 68 sts at even intervals across the row. Working in pattern, work 8 rows of navy and 8 rows of harding blue, then finish remainder of sleeve in white, increasing 1 st at each end every 6th row 10 times, then every 8th row to 114 sts. Work even until piece measures 22 in. or desired length from lower edge. Bind off 8 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 5 times. Bind off 2 sts at beginning of each of next 18 rows. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

CREW NECK SWEATER No. 4533

SIZE 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

SCALE: 6 sts to 1 in.

Jack Frost Knitting Worsted—7 3/4-oz. Hanks

BACK: With No. 2 Needles cast on 110 sts. Work in ribbing of K 2, P 2, for 4 in. Change to No. 4 Needles and work in stockinette st until piece measures 14 in. from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 8½ in. from underarm, then work as follows: starting on right side, K 24, place on st-holder, K 42, place remaining 24 sts on another st-holder. Work even in stockinette st over the center 42 sts for 3 rows, then decrease 1 st at beginning of each of next 4 rows. Bind off loosely.

FRONT: With No. 4 Needles cast on 38 sts loosely. K 1 row, P 1 row, increasing 1 st at beginning of each of the first 4 rows; Work 4 rows even, then K across row and 24 left shoulder sts. P back, including sts which were placed on pin for right shoulder. Work even in stockinette st until piece measures same as back to last decrease at underarm. Increase 1 st at each end every other row 6 times. Cast on 6 sts at beginning of each of next 2 rows for underarm. Finish to correspond to back.

SLEEVES: With No. 4 Needles, on right side of garment, pick up 20 sts across top of shoulder. Work back and forth in stockinette st, picking up 5 sts at end of each row until 90 sts have been picked up from end to end of armhole. Work 10 rows even, then decrease 1 st at each end every 10th row to 66 sts. Work even until piece measures 19 in. or desired length. Change to No. 2 needles and work in ribbing of K 2, P 2, for 3 in. Bind off. Sew underarm and sleeve seams.

Turn facing under at front and back of neck, and sew to wrong side.

BOYS' SIZES—10 to 12 yrs.

Jack Frost Knitting Worsted—4 3/4-oz. Hanks

BACK: With No. 2 Needles cast on 84 sts (12yr.—88 sts). Work in ribbing of K 2, P 2, for 3 in. Change to No. 4 Needles and work in stockinette st for 9 in. (12 yr.—10 in.), or desired length to underarm. Bind off 4 sts at the beginning of the next 2 rows, then decrease 1 st at each end every other row 4 times. Work even until piece measures 6½ in. (12 yr.—7 in.) or desired length to back of neck. K 18 (12 yr.—20), place on st-holder. K 32 (12 yr.—32). Place remaining 18 sts (12 yr.—20 sts) on st-holder. On the center 32 sts work 3 rows even in stockinette st, then decrease 1 st at the beginning of the next 4 rows. Bind off loosely.

FRONT: With No. 4 Needles cast on 28 sts. Working in stockinette st, increase 1 st at the beginning of each of the next 4 rows. Work 2 rows even. Slip the shoulder sts on the Needle, with the 32 facing sts in the center. Work even in stockinette st until armhole measures same as back to last decrease. Increase 1 st at each end every other row 4 times. Cast on 4 sts at the beginning of the next 2 rows. Work even until piece measures same as back to ribbing. Change to No. 2 Needles. Work in ribbing of K 2, P 2, for 3 in. Bind off.

SLEEVES: With No. 4 Needles, on right side of garment, pick up 20 sts across top of shoulder. Work back and forth in stockinette st, picking up 2 sts at end of each row until 80 sts (12 yr.—88 sts) have been picked up from end to end of armhole. Work 6 rows even, then decrease 1 st at each end every 6th row 14 times. Work even until sleeve measures 14 in. (12 yr.—15 in.) or desired length from underarm. Change to No. 2 Needles decreasing to 42 sts (12 yr.—48 sts) at even intervals across the row. K 2, P 2, for 3 in. Bind off.

Sew underarm and sleeve seams.

Turn facing under at front and back of neck, and sew to wrong side.

TURTLE NECK PULLOVER No. 4534

SIZE 38

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles

1 Size 4 Double Pointed Needle

SCALE: 6 sts to 1 in.

Gold Medal Fingering Yarn (a Jack Frost Product)

11 1-oz. Skeins

BACK: With No. 2 Needles cast on 120 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 4 Needles and P 1 row increasing to 146 sts at even intervals: then work in pattern as follows: **Row 1** (right side)—K 30, P 2, K 12, P 2, K 19, P 2, K 12, P 2, K 19, P 2, K 12, P 2, K 30. **Row 2**—P 30, K 2, P 12, K 2, P 19, K 2, P 12, K 2, P 19, K 2, P 12, K 2, P 30. Repeat above 2 rows working a cable twist over the ribs of K 12, on the 7th row and every 8th row thereafter as follows: slip the first 3 sts to a double pointed needle, hold in front of work; K the next 3 sts, then bring the 3 slipped sts to the back and K them: slip the next 3 sts to the double pointed needle, hold in back of work, K the next 3 sts, then bring the 3 slipped sts forward and K them. When piece measures 14 in. from lower edge, bind off 8 sts at beginning of each of the next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures 8½ in. from underarm. Bind off 9 sts at beginning of each of next 8 rows. Change to No. 2 Needles and work in ribbing of K 2, P 2, for 2¼ in. for turtle neck band, then work 4 rows of yellow, 2 rows of red, 4 rows of yellow (or any contrasting color). Bind off.

FRONT: Work same as back until piece measures 6½ in. from underarm; then work as follows: work over 46 sts, place on st-holder. Bind off next 28 sts for front of neck. On remaining 46 sts work 2 rows even, then bind off 2 sts at neck edge every other row 5 times. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 9 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 94 sts from shoulder to shoulder. Work to correspond to back neckband.

Sew shoulder and underarm seams, including turtle neck band.

SLEEVES: With No. 2 Needles cast on 60 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 4 Needles and P 1 row increasing to 74 sts at even intervals. Work as follows: **Row 1** (right side)—K 29, P 2, K 12, P 2, K 29. **Row 2**—P 29, K 2, P 12, K 2, P 29. Continue working stockinette st on each side of the rib of K 12 as described above, working the center rib of K 12 in cable st as described for back to top of sleeve. When 13 rows have been worked from ribbing, increase 1 st at each end of next row and every 10th row to 102 sts. Work even until piece measures 21 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm. Decrease 1 st at each end every other row 5 times, then every 4th row 4 times. Bind off 2 sts at beginning of every row to 20 sts. Bind off. Sew sleeve seams. Sew sleeves in place.

CABLE TWIST PULLOVER No. 4535

SIZE 36

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 5 Needles—14 in.

1 Double Pointed Needle

Jack Frost Heathertone or Jack Frost Sport Yarn

7 2-oz. Balls

BACK: With No. 2 Needles cast on 114 sts. Work in ribbing of K 1, P 1, for 2 in. Change to No. 5 Needles increasing to 120 sts at even intervals across row. Work as follows: **Row 1** (right side)—P 1, K 1, P 1, * K 6, P 1, K 1, P 1, repeat from * across row. **Row 2**—K 1, P 1, K 1, * P 6, K 1, P 1, K 1, repeat from * across row. Repeat above 2 rows for pattern, working a cable twist over the ribs of K 6 on the 9th and every 14th row thereafter as follows: slip the first 3 sts onto a double pointed needle, hold in back of work; K the next 3 sts, then bring the 3 sts which were slipped, forward, and K them. Work even until piece measures 14 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm. Decrease 1 st at each end every other row 5 times. Work even until piece measures 8½ in. from underarm. Bind off 8 sts at beginning of each of next 8 rows.

BACK NECKBAND: Change to No. 2 Needles, increasing to 41 sts at even intervals across row. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

FRONT: Work same as back until piece measures 6 in. from bound off sts at underarm, then work as follows: work over 40 sts, place on st-holder. Bind off next 18 sts for front of neck, on remaining 40 sts work 2 rows even, then decrease 1 st at neck edge every other row 8 times. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 94 sts from shoulder to shoulder. Work to correspond to back neckband.

(Continued on page 22)



CREW NECK SWEATER No. 4533
Boys' Sizes 10 to 12 years included

TURTLE NECK PULLOVER No. 4534

ment, pick up 81 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 58 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles and work in pattern, increasing 1 st at each end of the 14th and every 8th row thereafter 9 times, then every 10th row 6 times. Work even until piece measures 22 in. from lower edge, or desired length. Bind off 6 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 5 times. Bind off 2 sts at beginning of every row to 22 sts. Bind off. Sew sleeve seams. Sew sleeves in place.

FINGERING YARN SLEEVELESS SWEATER

No. 4536

SIZE 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

1 Double Pointed Needle Size 4

SCALE: 6½ sts to 1 in.

Gold Medal Fingering Yarn (A Jack Frost Product)—

5 1-oz. Skeins

BACK: With No. 2 Needles cast on 119 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles increasing to 122 sts. Work in pattern as follows: **Row 1**—* K 1, P 1, over the first 5 sts, K 4, repeat from * across row ending K 1, P 1, over last 5 sts. **Row 2**—* K 1, P 1, over the first 5 sts, P 4, repeat from * across row ending K 1, P 1, over last 5 sts. Repeat above 2 rows for pattern, working a cable twist over each rib of K 4, on the 7th and every 8th row thereafter, to neck edge as follows: slip the first 2 sts onto double pointed needle, hold in back of work. K the next 2 sts, then bring the slipped sts forward and K them. When piece measures 9½ in. from ribbing, bind off 8 sts at beginning of each of the next 2 rows for underarm; then 3 sts at beginning of each of the next 8 rows. Work even until piece measures 10 in. from underarm. Bind off 7 sts at beginning of each of next 6 rows. Change to No. 2 Needles, increasing to 41 sts. Work in ribbing of K 1, P 1, for neckband. Bind off.

FRONT: With No. 2 Needles cast on 119 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles, increasing to 139 sts at even intervals across row. Work in pattern as follows: **Row 1**—* K 4, K 1, P 1, over the next 5 sts, repeat from * ending K 4. **Row 2**—* P 4, K 1, P 1, over the next 5 sts, repeat from * ending K 4. Repeat above 2 rows, working a cable twist over each rib of K 4, as described for back until piece measures 9½ in. from ribbing. Bind off 8 sts at beginning of each of next 2 rows for underarm; then 3 sts at beginning of each of the next 8 rows. Decrease 1 st at each end every other row 4 times. Work even until piece measures 6 in. from underarm. Work over 34 sts, place on st-holder. Bind off next 23 sts for front of neck. On remaining 34 sts, decrease 1 st at neck edge every row 6 times, then every other row 7 times. Work even until piece measures 10 in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 98 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off. Sew shoulder seams.

ARMHOLE BANDS: With No. 2 Needles on right side of garment, pick up 150 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 8 rows. Bind off. Sew underarm seams.

SLEEVELESS GOLF PULLOVER No. 4537

SIZE 36

1 Pr. Standard No. 1 Needles—14 in.

1 Pr. Standard No. 3 Needles—14 in.

SCALE: 7½ sts to 1 in.

Jack Frost Imported Fleece—5 1-oz. Balls

BACK: With No. 1 Needles cast on 135 sts. Work in ribbing of K 3, P 3, (right side), for 3 in. Change to No. 3 Needles and continue ribbing until piece measures 12 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm, then 3 sts at beginning of each of next 6 rows. Work even until piece measures 10½ in. from underarm. Bind off 7 sts at beginning of each of next 6 rows. Change to No. 1 Needles and P 1 row, decreasing to 52 sts. K 1 row, P 1 row, for 8 rows. P 1 row on right side for turning ridge. P 1 row, K 1 row, for 8 rows. Bind off.

POCKET LINING: With No. 1 Needles cast on 27 sts. Work in ribbing of K 3, P 3, for 4 in., ending on right side. Place on pin. **FRONT:** With No. 1 Needles cast on 135 sts. Work in ribbing for 4 in., ending on wrong side. Change to No. 3 needles and work as follows: K 3, P 3, over the first 90 sts, bind off next 27 sts for pocket opening, work across row. On the next row P 3, K 3, over the first 18 sts, place sts of pocket lining from pin to needle and work across them in pattern (being sure that pattern matches). Work across row. Work even until piece measures

12 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm, then 3 sts at beginning of each of next 8 rows; then divide work for neck opening as follows: work over 48 sts, K the next 2 sts tog. Place on st-holder. On remaining 49 sts work 2 rows even. Decrease 1 st at neck edge every other row 5 times, then every 3rd row to 21 sts. Work even until piece measures 10½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 1 Needles, on right side of garment, pick up 92 sts from shoulder to point of V, 1 st at point of V, 92 stitches from point of V to shoulder. P 1 row, K 1 row, decreasing 1 st at each side of st at point of V on every row for 8 rows. K 1 row on wrong side for turning ridge. K 1 row, P 1 row, increasing 1 st at each side of st at point of V, every row for 8 rows. Bind off. Sew shoulder seams.

ARMHOLE BANDS: With No. 1 Needles, on right side of garment, pick up 200 sts from end to end of armhole. P 1 row, K 1 row, for 8 rows. K 1 row on wrong side for turning ridge. K 1 row, P 1 row, for 8 rows. Bind off. Turn neck and armhole bands under on turning ridge and sew to wrong side. Sew underarm seams. On right side of garment pick up 27 sts across top of pocket. P 1 row, K 1 row, for 8 rows. K 1 row on wrong side for turning ridge. K 1 row, P 1 row, for 8 rows. Bind off. Turn under on turning ridge and sew to wrong side. Sew pocket lining to wrong side of garment.

CABLE SLEEVELESS PULLOVER No. 4538

SIZE 36 to 38

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 4 Needles—14 in.

1 Double Pointed Needle Size 4

SCALE: 6½ sts to 1 in.

Jack Frost Imported Fleece—6 1-oz. Balls

BACK: With No. 2 Needles cast on 115 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles, P 1 row increasing to 120 sts at even intervals across row. Work in pattern as follows: **Row 1** (right side)—K 3, P 2, K 3, * P 1, K 4, P 1, K 3, P 2, K 3, repeat from * across row. **Row 2**—P 3, K 2, P 3, * K 1, P 4, K 1, P 3, K 2, P 3, repeat from * across row. Repeat above 2 rows 3 times. On the 9th row work a cable twist over the rib of K 4 as follows: slip the first 2 sts onto double pointed needle, hold in back of work. K the next 2 sts, then bring the 2 sts which were slipped, forward, and K them. Repeat cable twist every 8th row for entire garment. When piece measures 12 in. from lower edge, bind off 8 sts at beginning of each of next 2 rows for underarm, then 3 sts at beginning of each of next 8 rows. Work even until piece measures 10 in. from underarm. Bind off 6 sts at beginning of each of next 6 rows. Change to No. 2 Needles, decreasing to 43 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: With No. 2 Needles cast on 115 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 needles increasing to 134 sts at even intervals across row. Work in pattern until piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; then 3 sts at beginning of each of next 8 rows. Work over 45 sts, K 2 tog. Place on st-holder. On remaining 47 sts, keeping armhole edge even, decrease 1 st at neck edge on the first and every 3rd row thereafter to 18 sts. Work even until piece measures 10 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 89 sts from shoulder to point of V, 1 st at point of V, and 89 sts from point of V to shoulder. Work in ribbing of K 1, P 1, for 8 rows, decreasing 1 st at each side of st at point of V on every row. Bind off, decreasing as given above. Sew shoulder seams.

ARMHOLE BANDS: With No. 2 Needles, on right side of garment, pick up 181 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 8 rows. Bind off. Sew underarm seams.

Abbreviations

K.—Knit
P.—Purl
S.C.—Single Crochet
Tog.—Together
Pat.—Pattern
St.—Stitch
Sl. St.—Slip Stitch
Y.O.—Yarn Over
P.S.S.O.—Pass Slip Stitch Over

(*) An asterisk indicates that the directions which follow are to be repeated.



CABLE TWIST PULLOVER No. 4535

FINGERING YARN SLEEVELESS SWEATER No. 4536



VOL. 25 — PRICE 20¢



VOL. 27 — PRICE 20¢



VOL. 29 — PRICE 20¢



VOL. 31 — PRICE 20¢



VOL. 33 — PRICE 20¢



VOL. 35 — PRICE 20¢



VOL. 37 — PRICE 20¢



VOL. 39 — PRICE 20¢



VOL. 41 — PRICE 20¢



VOL. 37 — PRICE 20¢



VOL. 38 — PRICE 20¢



VOL. 40 — PRICE 20¢



VOL. 41 — PRICE 20¢

LEFT SLEEVELESS GOLF PULLOVER No. 4537

RIGHT ... CABLE SLEEVELESS PULLOVER No. 4538

INSTRUCTIONS ON PAGE 22



VOL. 27 — PRICE 20¢



VOL. 29 — PRICE 20¢



VOL. 31 — PRICE 20¢



VOL. 33 — PRICE 20¢



VOL. 35 — PRICE 20¢



VOL. 37 — PRICE 20¢



VOL. 39 — PRICE 20¢



VOL. 41 — PRICE 20¢



VOL. 38 — PRICE 20¢



VOL. 40 — PRICE 20¢



VOL. 41 — PRICE 20¢



VOL. 43 — PRICE 20¢



VOL. 45 — PRICE 20¢



VOL. 47 — PRICE 20¢



VOL. 49 — PRICE 20¢



VOL. 51 — PRICE 20¢



VOL. 53 — PRICE 20¢

